

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	6710	(345/419-428).CCLS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/27 09:29
L9	0	L8 and (dynamic\$5 or chang\$5 or adapt\$5) near4 resolution with self	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:29
L10	0	L8 and (dynamic\$5 or chang\$5 or adapt\$5) near4 resolution with intersec\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:30
L11	2	L8 and mesh near4 resolution with intersec\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:32
L12	4	L8 and mesh with self-intersect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:38
L13	92	L8 and mesh with intersect	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:39
L14	71	L8 and mesh with intersect and @ad<"20021102"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:27

## EAST Search History

L15	163	L8 and mesh with (inside nearw out) and @ad<"20021102"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:28
L16	1	L8 and mesh with (inside near2 out) and @ad<"20021102"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:29
L17	0	L8 and mesh with (insideout) and @ad<"20021102"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:29
L18	0	L8 and mesh with (inside-out) and @ad<"20021102"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:29
L19	0	L8 and mesh with (invert) and @ad<"20021102"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 10:29
S1	1901	(382/154).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/24 09:11
S2	1343	mesh near generat\$5	US-PGPUB; USPAT	OR	ON	2007/09/19 16:25
S3	19512	((341/178) or (345/418-428,440, 582,619) or (382/100,128,154, 164,165,243,285)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/19 16:26

## EAST Search History

S4	252	S3 and (mesh near generat\$4) and resolution	US-PGPUB; USPAT	OR	ON	2007/09/19 16:29
S5	194	S3 and (mesh near generat\$4) and resolution and 3D	US-PGPUB; USPAT	OR	ON	2007/09/19 16:30
S6	194	S3 and (mesh near generat\$4) and resolution and 3D	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 16:31
S7	179	S3 and (mesh near generat\$4) and resolution and 3D and model	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/19 16:31
S8	151	S3 and (mesh near generat\$4) and resolution and 3D and model and feature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 07:38
S9	10	"6,879,324"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:32
S10	3	"7,120,289"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:41
S11	19537	((341/178) or (345/418-428,440, 582,619) or (382/100,128,154, 164,165,243,285)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/20 08:42

## EAST Search History

S12	4	S11 and (confidence near (display or representation)) and 3d	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:45
S13	7	S11 and (confidence near (map or color or vertex)) and 3d	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:54
S14	0	S11 and (confidence near (code near visual)) and 3d	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:55
S15	1	S11 and (confidence near (code)) and 3d	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 08:55
S16	68	S11 and (color near code) and 3d	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 09:50
S17	2	"6,351,262"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 10:01
S18	8	"6,275,620"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 10:03

## EAST Search History

S19	12	"6,404,920"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 10:04
S20	97	S11 and (variable near resolution)	US-PGPUB; USPAT	OR	ON	2007/09/26 10:59
S21	253	conventional near tomography	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 09:12
S22	29	conventional near tomography and resolve	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 09:16
S23	56	conventional near tomography and segment\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 09:22
S24	390	X-Ray near tomography and segment\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 09:22
S25	390	(X-Ray or xray) near tomography and segment\$8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 09:22
S26	798	(X-Ray or xray) near tomography and resolution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 09:23

## EAST Search History

S27	798	((X-Ray or xray) near tomography) and resolution	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 09:24
S28	494	((X-Ray or xray) near tomography) and resolution and @ad<"20021120"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 09:24
S29	191	laminography	US-PGPUB; USPAT	OR	ON	2007/09/24 09:48
S30	54	"3,499,146"	US-PGPUB; USPAT	OR	ON	2007/09/24 11:09
S31	32	3D near highlight	US-PGPUB; USPAT	OR	ON	2007/09/24 11:16
S32	350	3D near mask\$5	US-PGPUB; USPAT	OR	ON	2007/09/24 11:16
S33	175	3D near mask\$5 and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/24 11:17
S34	2299	(angiogram or angiography) and noise	US-PGPUB; USPAT	OR	ON	2007/09/24 13:10
S35	760	(angiogram or angiography) and noise and threshold	US-PGPUB; USPAT	OR	ON	2007/09/24 13:10
S36	14	(angiogram or angiography) and noise near threshold	US-PGPUB; USPAT	OR	ON	2007/09/24 13:10
S37	152	confidence near weight and distance	US-PGPUB; USPAT	OR	ON	2007/09/25 14:51
S38	94	confidence near weight and distance and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/25 15:15
S39	0	(confidence near distance) and (confidence near noise) and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/25 15:18
S40	22	(confidence near noise) and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/25 15:24
S41	2	(weight near noise) and (weight near distance) and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/25 15:40
S42	33	(color near confidence) and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/25 15:40
S43	261600	color and distance	US-PGPUB; USPAT	OR	ON	2007/09/25 15:49

## EAST Search History

S44	1123	(color near distance) and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/25 15:50
S45	4	(color near distance) and @ad<"20021120" and penalize	US-PGPUB; USPAT	OR	ON	2007/09/25 15:53
S46	0	(class near distance) and (class near noise) and @ad<"20021120" and penalize	US-PGPUB; USPAT	OR	ON	2007/09/25 15:53
S47	0	(class near distance) and (class near noise) and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/25 15:53
S48	113	(class near distance) and noise and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/25 16:28
S49	350	(segment\$6 near distance) and noise and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/25 16:50
S50	4041500	(noise near weight) and segment\$6 @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/25 16:51
S51	66	((noise near weight) and segment\$6) and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/25 16:51
S52	19561	((341/178) or (345/418-428,440, 582,619) or (382/100,128,154, 164,165,243,285)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 10:59
S53	116	S52 and ((noise or error) near display)	US-PGPUB; USPAT	OR	ON	2007/09/26 11:00
S54	77	S52 and ((noise or error) near display) and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/26 11:04
S55	24	S52 and ((accuracy or quality) near map) and @ad<"20021120"	US-PGPUB; USPAT	OR	ON	2007/09/26 11:04
S56	6	S52 and (numerical near resolution)	US-PGPUB; USPAT	OR	ON	2007/09/26 11:39
S57	0	numeric\$3 near accuracy near noise	US-PGPUB; USPAT	OR	ON	2007/09/26 13:57
S58	0	(numeric\$3 near accuracy) near noise	US-PGPUB; USPAT	OR	ON	2007/09/26 13:57
S59	626	(numeric\$3 near accuracy)	US-PGPUB; USPAT	OR	ON	2007/09/26 13:57
S60	0	(numeric\$3 near precision) near noise	US-PGPUB; USPAT	OR	ON	2007/09/26 13:57
S61	302	(numeric\$3 near precision) and noise	US-PGPUB; USPAT	OR	ON	2007/09/26 13:57
S62	54	(numeric\$3 near precision) same noise	US-PGPUB; USPAT	OR	ON	2007/09/26 15:14



## EAST Search History

S63	0	mesh near self-intersect\$5	US-PGPUB; USPAT	OR	ON	2007/09/26 15:14
S64	2	mesh near self-intersect\$5	US-PGPUB; USPAT	OR	ON	2007/09/26 15:16
S65	2	mesh near (self near intersect\$5)	US-PGPUB; USPAT	OR	ON	2007/09/26 16:33
S66	976	(345/423-424).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 16:34
S67	1	S66 and (dynamic\$% or changing) near2 resolution with (noise or distance or reliab\$7 or confidence)	US-PGPUB; USPAT	OR	ON	2007/09/26 16:36
S68	2	S66 and (dynamic\$5 or changing) near2 resolution with (noise or distance or reliab\$7 or confidence)	US-PGPUB; USPAT	OR	ON	2007/09/26 16:36
S69	2	S66 and (dynamic\$5 or changing) near2 resolution with (noise or distance or reliab\$7 or confidence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:38
S70	6708	(345/419-428).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/26 16:37
S71	3	S70 and (dynamic\$5 or changing) near2 resolution with (noise or distance or reliab\$7 or confidence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:38
S72	343	S70 and (dynamic\$5 or chang\$5 or adapt\$5) near4 resolution	US-PGPUB; USPAT	OR	ON	2007/09/26 16:46
S73	31	S70 and (dynamic\$5 or chang\$5 or adapt\$5) near4 resolution with (noise or distance or reliab\$7 or confidence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/26 16:47



## EAST Search History

S74	31	S70 and (dynamic\$5 or chang\$5 or adapt\$5) near4 resolution with (noise or distance or reliab\$7 or confidence or weight)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/27 09:29
-----	----	---	--	----	----	------------------